

Instructions


Tow bar number.: 48-4802-21

Tesla Model 3 06/2019-

05-12-2019



Tow bar number	48-4802-21
Max load (horizontal)	0 Kg
Max load (vertical)	0 Kg



DANSK ANHÆNGERTRÆK GDW A/S

DK 6000 KOLDING

Tlf.: +45 75 50 03 90 Fax: +45 75 50 19 59 www.da-gdw.dk



Instructions

Tow bar number.: 48-4802-21

Tesla Model 3 06/2019-

05-12-2019


Before mounting:

1. Read the instructions
2. Check all parts as described in the instructions

Mounting of the tow bar:

1. Demount taillights and bumper. Mind the sensors.
2. Demount the inner bumper.
3. Demount the bracket for the inner bumper. Is not used again. The mounting plates on the tow bar will replace them.
4. Mount the rubberplates, tow bar and plates on the existing bolts on the car.
5. Cut the plastic bottom shield, see drawing.
6. Mount the ball and plate for the electric set.
7. Adjust the tow bar and tighten all bolts and nuts.
8. Mount the inner bumper, using the existing nuts from the car. See picture.
Remember the small rubberplates between inner bumper and brackets.
9. Mount bumper and taillights. Remember the sensors.

MOUNTING SET:



PARTS LIST			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	48-4802	Towbar
2	2	48-4802-02	Distanceplate
3	1	960.V0612	Ball
4	1	8095-plate	
5	1	8095-plate2	
6	10	DIN 9021 - 10,5	Washer
7	8	DIN 128 - A10	Spring Washer
8	8	DIN 934 - M10	Hex Nut
10	6	DIN 933 - M10 x 25	Hex-Head Bolt
11	4	DIN 988 - 14 x 24 x 1	Shim Ring
12	4	DIN 128 - A12	Spring Washer
13	2	DIN 933 - M12 x 25	Hex-Head Bolt
14	2	DIN 933 - M12 x 20	Hex-Head Bolt
15	2	stor gummiplade	
16	6	lille gummiskive	
17	6	Original reuse	Hex Nut

DANSK ANHÆNGERTRÆK GDW A/S

DK 6000 KOLDING

Tlf.: +45 75 50 03 90 Fax: +45 75 50 19 59 www.da-gdw.dk




Instructions

Tow bar number.: 48-4802-21

Tesla Model 3 06/2019-

05-12-2019

Bumper



Plastic shield



DANSK ANHÆNGERTRÆK GDW A/S

DK 6000 KOLDING

Tlf.: +45 75 50 03 90 Fax: +45 75 50 19 59 www.da-gdw.dk

